


<u>Montecito</u>™


Pressure Balance Shower System

KT09-33.FR

"ZZ" denotes finish, "FR" denotes flow rate

Item	Model	Description	Links
1	SH-04T.FR-ZZ	3-5/16" 6 Jet Showerhead	Specification Sheet
2	SH-01-ZZ	One Piece 4" Shower Arm & Flange	Specification Sheet
3	TO-PBL-33-ZZ	Pressure Balance Trim Only	Specification Sheet







Showerhead

3-5/16" 6 JETS

Features

- 1/2" FIP inlet
- Brass construction
- 3-5/16" diameter

Replace .FR with desired max flow rate: SH-04T.25 for 2.5 gpm SH-04T.20 for 2.0 gpm SH-04T.18 for 1.8 gpm SH-04T.15 for 1.5 gpm

Codes/Standards

Product meets or exceeds the following:


- ASME A112.18.1/CSA B125.1
- CEC (1.8 & 1.5 gpm) DOE (2.5, 2.0, 1.8, & 1.5 gpm) Commonwealth of MA
- EPA WaterSense (2.0 & 1.5 gpm)




SH-04T.25 SH-04T.20 SH-04T.18 SH-04T.15







DIMENSIONS SHOWN TO NEAREST 1/16" [DIMENSIONS SHOWN TO NEAREST 1MM]





Decorative Trim for Bath & Kitchen info@calfaucets.com www.calfaucets.com

5231 Argosy Drive Huntington Beach, CA 92649

Tel: 714-891-7797 Fax: 714-891-2478 Toll Free: 800-822-8855

Fixture:	Date: October 1, 2004	
SH-01	Scale: None	
311-01	Drawn by: William Linares william@calfaucets.com	
Revision date: April 1, 2005	Technical Supervisor: Joe Mainberger	



Pressure Balance™

1/2" Pressure Balance Valve Trim Only

Features

- · Over 30 finishes including 11 PVD finishes
- All brass construction
- Traditional or contemporary escutcheon and screwless faceplate
- Handles to match all California Faucets series See www.calfaucets.com for complete selection








Codes/Standards Applicable


Specified model meets or exceeds the following:

- ASME A112.18.1-2005/CSA B125.1-05
- ASSE 1016
- ADA (with lever handles)
- Listed IAPMO/_CUPC_®

XX = Series Handle



1



10292-98

BUSHING, PBL

8